

## A498 FFPE Cell Pellet

### GENERAL INFORMATION

Product Name: A498 FFPE Cell Pellet  
 Reference Number: 3100-0610 Block  
 3100-0620 Slide (5µm)  
 3100-0630 FFPE scroll (20µm)  
 Date of Manufacturing: See product label  
 Lot Number: See product label  
 Intended Use: For research use only

### DESCRIPTION

Cell Line: A498  
 Tissue of Origin: Kidney  
 Culturing Condition: DMEM supplemented with 10% FBS at 37°C with 5% CO<sub>2</sub>  
 Fixation Condition: 10% neutral buffered formalin (NBF) for 24 hours at 24-27°C  
 Product Format:  
 Block: Paraffin embedded block. Pellet thickness: ~2mm  
 Slide: One unstained section mounted on Superfrost™ Plus slide. Section thickness: 5µm  
 FFPE Scroll: One FFPE section in DNase/RNase free tube. Section thickness: 20µm

### SCHEMATICS



Illustration of an FFPE slide

\*Guideline for general applications, such as immunohistochemistry (IHC) or DNA in situ hybridization (ISH). Certain biomolecules may be less stable during storage.



### SAFETY AND PRECAUTIONS

This product does not contain hazardous material. Wear appropriate personal protective equipment (PPE) when handling reagents and biological specimens.

### RECOMMENDED PROCEDURES

#### Staining using FFPE slides:

1. Bake slides at 60°C for 30-60 min.
2. Deparaffinize two times in Xylene or Xylene substitute for 5 min each time.
3. Rinse two times in 100% ethanol for 1 min each time.
4. Air dry slides or rehydrate in ethanol series (95% 2 min, 70% 2 min, 50% 2 min, 1XPBS 2 min).
5. Proceed to staining protocol.

#### Biomolecule extraction from FFPE scrolls:

1. Add 1ml Xylene or Xylene substitute to each tube containing FFPE scrolls and vortex for 10 sec.
2. Centrifuge at full speed for 2 min at room temperature. Remove supernatant without disturbing the pellet.
3. Repeat step 1 and 2.
4. Add 1ml 100% ethanol and mix by vortexing.
5. Centrifuge at full speed for 2 min at room temperature. Remove supernatant without disturbing the pellet.
6. Repeat step 4 and 5.
7. Carefully remove any residual ethanol in the tube without disturbing the pellet.
8. Open the tube and dry at room temperature or up to 37°C for 10min, or until the ethanol has completely evaporated.
9. Proceed to extraction protocol.

### STORAGE CONDITION

2-8°C with desiccation (Recommended)

### \*STABILITY

|        |         |
|--------|---------|
| Block  | 5 years |
| Scroll | 1 year  |
| Slide  | 1 year  |

AMSBIO | [www.amsbio.com](http://www.amsbio.com) | [info@amsbio.com](mailto:info@amsbio.com)

UK & Rest of the World   
 184 Park Drive, Milton Park  
 Abingdon OX14 4SE.  
 T: +44 (0) 1235 828 200  
 F: +44 (0) 1235 820 482

North America   
 1035 Cambridge Street,  
 Cambridge, MA 02141.  
 T: +1 (617) 945-5033 or  
 T: +1 (800) 987-0985  
 F: +1 (617) 945-8218

Europe   
 Berenkoog 41,  
 1822 BH Alkmaar,  
 Netherlands  
 T: +31 (0)72 8080244  
 F: +31 (0)72 8080142

Switzerland   
 Via Lisano 3,  
 (CP.683)  
 CH-6900  
 T: +41 (0) 91 604 55 22  
 F: +41 (0) 91 605 17 85

Germany   
 Bockenheimer Landstr. 17/19  
 60325 Frankfurt/Main  
 T: +49 (0) 69 779099  
 F: +49 (0) 69 13376880