

**CATALOG # 370260-1****Package Size: 0.2 mg / vial****Monoclonal Anti- $\Delta$ -Heparan Sulfate  
(3G10 epitope), purified****DESCRIPTION:**

Clone:	F69-3G10
Istotype:	Mouse IgG2b, $\kappa$ -chain
Physical state:	Liquid
Buffer:	Phosphate-buffered saline (-) (PBS(-))
Stabilizer:	None
Preservative:	0.02% sodium azide
Purification:	Affinity purified by Protein A-Cellulofine
Concentration:	1.0 mg/mL (Immunoglobulin fractions)
Package size:	200 $\mu$ l/vial
Immunogen:	heparitinase-digested medium heparan sulfate proteoglycans (F69) from human lung fibroblasts

**SPECIFICITY:**

Recognition:	The antibody reacts with a heparan sulfate neo-epitope, generated by digesting heparan sulfate with heparitinase from <i>Flavobacterium heparinum</i> (EC 4.2.2.8). The desaturated hexuronate (glucuronate) that is present at the non-reducing end of the heparan sulfate fragments created by the enzyme is critical for the reactivity of the antibody.
Recommended Reaction:	The antibody does not react with oligosaccharides generated from chondroitin sulfates with bacterial chondroitin ABC or AC lyases, or generated from heparan sulfate with heparinase (EC 4.2.2.7).

**RECOMMENDED APPLICATIONS:** the exact dilution must be determined by the researcher.

Flow cytometric analysis:	1:100-200, 0.5 – 1 $\mu$ g of this antibody will label about $10^6$ cells.
Immunohistochemistry:	1:100-200
ELISA:	1:200-500
Western blotting:	Available

**STORAGE:**Storage at 4°C until opened. Diluted material should be used within a week. *Avoid repeated freezing and thawing.***REFERENCES:**

- 1) David, G., Bai, X.M., Van der Schueren, B., Cassiman, J.-J. and Van den Berghe, H. (1992) *J. Cell Biol.*, **119**, 961-975.
- 2) Bai, X.M., Van der Schueren, B., Cassiman, J.-J., Van den Berghe, H. and David, G. (1994) *J. Histochem. Cytochem.*, **42**, 1043-1054.
- 3) Nackaerts, K., Verbeken, E., Deneffe, G., Van der Schueren, B., Demedts, M. and David, G. (1997) *Int. J. Cancer (Pred. Oncol.)*, **74**, 335-345.
- 4) Fuxe, K., Chadi, G., Tinner, B., Agnati, L.F., Pettersson, R. And David, G. (1994) *Brain Research*, **636**, 131-138.
- 5) Lories, V. et al. (1989) *J. Biol. Chem.*, **264**, 7009-7016.

**NOTE:**For *in vitro* research use only – not for diagnostic or therapeutic use. This product is not a medical device. This product is warranted for a period of one year after date of receipt when storage and usage conditions are adhered to as described on the package insert.AMSBIO | [www.amsbio.com](http://www.amsbio.com) | [info@amsbio.com](mailto:info@amsbio.com)**UK & Rest of the World**  
184 Park Drive, Milton Park  
Abingdon OX14 4SE, UK  
T: +44 (0)1235 828 200  
F: +44 (0) 1235 820 482**North America**  
1035 Cambridge Street,  
Cambridge, MA 02141  
T: +1 (617) 945-5033 or  
T: +1 (800) 987-0985  
F: +1 (617) 945-8218**Germany**  
Bockenheimer Landstr. 17/19  
60325 Frankfurt/Main  
T: +49 (0) 69 779099  
F: +49 (0) 69 13376880**Switzerland**  
Centro Nord-Sud 2E  
CH-6934 Bioggio-Lugano  
T: +41(0) 91 604 55 22  
F: +41(0) 91 605 17 85