

Cynomolgus CD3 epsilon Protein, Fc,His Tag

Catalog # AMS.CDE-C5254-100ug

Synonym

FLJ18683,T3E,TCRE,CD3E,CD3-epsilon

Source

Cynomolgus CD3 epsilon, Fc,His Tag (AMS.CDE-C5254) is expressed from human293 cells (HEK293). It contains AA Gln 22 - Asp 117 (Accession # Q95LI5). Predicted N-terminus: Gln 22

Molecular Characterization

CD3E(Gln 22 - Asp 117) Q95LI5	Fc(Pro 100 - Lys 330) P01857	Poly-his
----------------------------------	---------------------------------	----------

This protein carries a human IgG1 Fc tag at the C-terminus, followed by a polyhistidine tag.

The protein has a calculated MW of 38.3 kDa. The protein migrates as 43-50 kDa under reducing (R) condition (SDS-PAGE) due to glycosylation.

Endotoxin

Less than 1.0 EU per µg by the LAL method.

Purity

>95% as determined by SDS-PAGE.

Formulation

Lyophilized from 0.22 µm filtered solution in Tris with Glycine, Arginine and NaCl, pH7.5. Normally trehalose is added as protectant before lyophilization.

Contact us for customized product form or formulation.

Reconstitution

Please see Certificate of Analysis for specific instructions.

For best performance, we strongly recommend you to follow the reconstitution protocol provided in the CoA.


Storage

For long term storage, the product should be stored at lyophilized state at -20°C or lower.

Please avoid repeated freeze-thaw cycles.

This product is stable after storage at:

- -20°C to -70°C for 12 months in lyophilized state;
- -70°C for 3 months under sterile conditions after reconstitution.

SDS-PAGE

Cynomolgus CD3 epsilon, Fc,His Tag on SDS-PAGE under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 95%.

Bioactivity-ELISA

AMSBIO | www.amsbio.com | info@amsbio.com

 **UK & Rest of the World**
184 Park Drive, Milton Park
Abingdon OX14 4SE, UK
T: +44 (0)1235 828 200
F: +44 (0) 1235 820 482


 **North America**
1035 Cambridge Street,
Cambridge, MA 02141
T: +1 (617) 945-5033 or
T: +1 (800) 987-0985
F: +1 (617) 945-8218

 **Germany**
Bockenheimer Landstr. 17/19
60325 Frankfurt/Main
T: +49 (0) 69 779099
F: +49 (0) 69 13376880

 **Switzerland**
Centro Nord-Sud 2E
CH-6934 Bioggio-Lugano
T: +41(0) 91 604 55 22
F: +41(0) 91 605 17 85

Cynomolgus CD3 epsilon Protein, Fc,His Tag

Catalog # AMS.CDE-C5254-100ug



Immobilized SP34-2 at 2 µg/mL (100 µL/well) can bind Cynomolgus CD3 epsilon, Fc,His Tag (Cat. No. AMS.CDE-C5254) with a linear range of 0.2-3 ng/mL (Routinely tested).

Background

CD3ε molecule, epsilon is also known as CD3E, is a T-cell surface single-pass type I membrane glycoprotein. CD3E contains 1 Ig-like (immunoglobulin-like) domain and 1 ITAM domain. CD3E, together with CD3-gamma, CD3-delta and CD3-zeta, and the T-cell receptor alpha/beta and gamma/delta heterodimers, forms the T cell receptor-CD3 complex. This complex plays an important role in coupling antigen recognition to several intracellular signal-transduction pathways. The genes encoding the epsilon, gamma and delta polypeptides are located in the same cluster on chromosome 11. The epsilon polypeptide plays an essential role in T-cell development. CD3E plays an essential role in T-cell development, and defects in CD3E gene cause severe immunodeficiency. CD3E gene has also been linked to a susceptibility to type I diabetes in women. CD3E has been shown to interact with TOP2B, CD3EAP and NCK2.

References

- (1) [Gold DP, et al., 1986, Nature 321 \(6068\): 431-4.](#)
- (2) [Clevers HC, et al., 1988, Proc. Natl. Acad. Sci. U.S.A. 85 \(21\): 8156-60.](#)
- (3) [de Saint Basile G, et al., 2004, J. Clin. Invest. 114 \(10\): 1512-7.](#)
- (4) [Wong S, et al., 1991, Clin. Exp. Immunol. 83 \(1\): 69-73.](#)

Please contact us via info@amsbio.com if you have any question on this product.

AMSBIO | www.amsbio.com | info@amsbio.com

 **UK & Rest of the World**
184 Park Drive, Milton Park
Abingdon OX14 4SE, UK
T: +44 (0)1235 828 200
F: +44 (0) 1235 820 482

 **North America**
1035 Cambridge Street,
Cambridge, MA 02141
T: +1 (617) 945-5033 or
T: +1 (800) 987-0985
F: +1 (617) 945-8218

 **Germany**
Bockenheimer Landstr. 17/19
60325 Frankfurt/Main
T: +49 (0) 69 779099
F: +49 (0) 69 13376880

 **Switzerland**
Centro Nord-Sud 2E
CH-6934 Bioggio-Lugano
T: +41(0) 91 604 55 22
F: +41(0) 91 605 17 85