

CSRT102 and CSRT502

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
A	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
B	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
C	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72
D	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96
E	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120
F	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144
G	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168
H	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192
I	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216
J	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240
K	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264
L	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288
M	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312
N	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336
O	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360
P	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384

Well	Age/Sex	Tumor Grade	Stage	Well	Age/Sex	Tumor Grade	Stage
A-01	Male-86	Fuhrman G3: Nuclei very irregular	Normal	I-01	Female-65	Not Reported	IIB
A-02	Male-61	AJCC G3: Poorly differentiated	I	I-02	Female-62	AJCC G1: Well differentiated	II
A-03	Male-65	Not Reported	Normal	I-03	Female-43	FIGO G3: Poorly differentiated	IIIB
A-04	Male-76	AJCC G2: Moderately differentiated	I	I-04	Male-60	AJCC G2: Moderately differentiated	II
A-05	Male-86	Fuhrman G3: Nuclei very irregular	Normal	I-05	Female-49	FIGO G2: Moderately differentiated	IV
A-06	Male-70	AJCC G1: Well differentiated	I	I-06	Male-77	AJCC G1: Well differentiated	II
A-07	Male-60	Not Reported	Normal	I-07	Female-65	FIGO G3: Poorly differentiated	IVB
A-08	Male-73	AJCC G1: Well differentiated	IIA	I-08	Male-63	AJCC G2: Moderately differentiated	II
A-09	Male-49	Not Reported	Normal	I-09	Female-46	AJCC G3: Poorly differentiated	NR
A-10	Male-76	AJCC G2: Moderately differentiated	IIA	I-10	Female-79	AJCC G2: Moderately differentiated	IIIA
A-11	Male-65	Not Reported	I	I-11	Male-85	AJCC G2: Moderately differentiated	Normal
A-12	Female-66	AJCC G3: Poorly differentiated	IIB	I-12	Male-86	AJCC G1: Well differentiated	IIIA
A-13	Male-60	Not Reported	NR	I-13	Female-77	AJCC G1: Well differentiated	Normal
A-14	Female-60	AJCC G2: Moderately differentiated	III	I-14	Male-71	AJCC G2: Moderately differentiated	IIIA
A-15	Male-57	Not Reported	NR	I-15	Female-58	AJCC G1: Well differentiated	Normal

A-16	Male-83	AJCC G3: Poorly differentiated	III	I-16	Male-56	AJCC G2: Moderately differentiated	IIIA
A-17	Male-81	Not Reported	NR	I-17	Female-40		Normal
A-18	Male-71	AJCC G3: Poorly differentiated	III	I-18	Male-21	AJCC G2: Moderately differentiated	IV
A-19	Female-51	Not Reported	NR	I-19	Female-31		Normal
A-20	Male-58	AJCC G2: Moderately differentiated	III	I-20	Female-49	Not Reported	NR
A-21	Female-28	Not Reported	NR	I-21	Female-45		Normal
A-22	Male-64	AJCC G2: Moderately differentiated	III	I-22	Female-31	Not Reported	NR
A-23	Female-27	Not Reported	NR	I-23	Male-38		Normal
A-24	Male-79	AJCC G2: Moderately differentiated	III	I-24	Female-29	Not Reported	NR
B-01	Female-42	Other Histologic Grade	I	J-01	Male-37		Normal
B-02	Male-77	AJCC G3: Poorly differentiated	Normal	J-02	Female-28	Not Reported	I
B-03	Male-42	WHO Grade III	I	J-03	Male-66	AJCC G2: Moderately differentiated	Normal
B-04	Male-72	AJCC G3: Poorly differentiated	Normal	J-04	Female-34	Not Reported	I
B-05	Female-68	Not Reported	I	J-05	Male-74	Other Histologic Grade	Normal
B-06	Male-46	AJCC G3: Poorly differentiated	Normal	J-06	Female-62	Not Reported	I
B-07	Male-58	Other Histologic Grade	I	J-07	Female-57	Not Reported	Normal
B-08	Male-41	Not Reported	Normal	J-08	Female-31	AJCC G1: Well differentiated	I
B-09	Female-49	Not Reported	I	J-09	Male-43	Not Reported	IB
B-10	Male-78	AJCC G2: Moderately differentiated	IA	J-10	Female-31	Not Reported	I
B-11	Male-59	Not Reported	IE	J-11	Female-79	AJCC G3: Poorly differentiated	IB
B-12	Male-87	AJCC G2: Moderately differentiated	IB	J-12	Female-40	Not Reported	I
B-13	Male-70	Other Histologic Grade	IE	J-13	Male-57	AJCC G2: Moderately differentiated	IIB
B-14	Male-89	AJCC G2: Moderately differentiated	IB	J-14	Female-48	Not Reported	I
B-15	Male-42	Other Histologic Grade	IE	J-15	Male-75	AJCC G2: Moderately differentiated	IIB
B-16	Male-76	AJCC G2: Moderately differentiated	II	J-16	Female-58	Not Reported	II
B-17	Male-63	Not Reported	IE	J-17	Female-71	AJCC G3: Poorly differentiated	III
B-18	Female-65	AJCC G3: Poorly differentiated	II	J-18	Female-79	Not Reported	II
B-19	Male-29	Not Reported	IE	J-19	Male-50	Not Reported	NR
B-20	Male-77	AJCC G3: Poorly differentiated	II	J-20	Female-81	Not Reported	III
B-21	Male-45	Not Reported	IE	J-21	Female-60	Not Reported	NR
B-22	Male-72	AJCC G3: Poorly differentiated	IIIA	J-22	Male-71	Not Reported	III
B-23	Male-78	WHO Grade I	IE	J-23	Female-60	Not Reported	NR

B-24	Male-86	Not Reported	NR	J-24	Female-81	Not Reported	III
C-01	Male-56	Not Reported	NR	K-01	Female-82	AJCC G1: Well differentiated	I
C-02	Male-54	AJCC G2: Moderately differentiated	IV	K-02	Male-63	AJCC G3: Poorly differentiated	Normal
C-03	Female-83	Not Reported	NR	K-03	Female-70	AJCC G2: Moderately differentiated	IIA
C-04	Male-72	AJCC G2: Moderately differentiated	IV	K-04	Female-72	AJCC G2: Moderately differentiated	Normal
C-05	Male-60	Not Reported	NR	K-05	Male-74	AJCC G2: Moderately differentiated	IIA
C-06	Male-56	Not Reported	I	K-06	Male-54	AJCC G2: Moderately differentiated	Normal
C-07	Female-47	Nottingham G2: 6-7 points Intermediate combined grade (moderately favorable)	Normal	K-07	Female-63	AJCC G4: Undifferentiated	IIA
C-08	Male-82	AJCC G2: Moderately differentiated	IIA	K-08	Male-72	Not Reported	Normal
C-09	Female-45	Not Reported	Normal	K-09	Male-75	AJCC G1: Well differentiated	IIB
C-10	Male-73	AJCC G3: Poorly differentiated	III	K-10	Female-68	Not Reported	IA
C-11	Female-72	Nottingham G3: 8-9 points High combined grade (unfavorable)	I	K-11	Female-80	AJCC G1: Well differentiated	III
C-12	Male-60	Fuhrman G2: Nuclei slightly irregular	Normal	K-12	Female-82	AJCC G2: Moderately differentiated	IA
C-13	Female-82	Nottingham G2: 6-7 points Intermediate combined grade (moderately favorable)	I	K-13	Female-82	AJCC G3: Poorly differentiated	IIIB
C-14	Male-71	Fuhrman G4: Nuclei bizarre and multilobated	Normal	K-14	Male-65	AJCC G3: Poorly differentiated	IB
C-15	Female-44	Nottingham G2: 6-7 points Intermediate combined grade (moderately favorable)	I	K-15	Male-63	AJCC G1: Well differentiated	IIIC
C-16	Male-53	AJCC G3: Poorly differentiated	Normal	K-16	Female-48	AJCC G3: Poorly differentiated	IB
C-17	Female-42	Nottingham G2: 6-7 points Intermediate combined grade (moderately favorable)	IIA	K-17	Male-54	AJCC G2: Moderately differentiated	IIIC
C-18	Male-77	Fuhrman G3: Nuclei very irregular	Normal	K-18	Male-64	AJCC G3: Poorly differentiated	IB
C-19	Female-54	Nottingham G3: 8-9 points High combined grade (unfavorable)	IIA	K-19	Male-51	AJCC G2: Moderately differentiated	IV
C-20	Female-80	Fuhrman G3: Nuclei very irregular	Normal	K-20	Female-49	Not Reported	IB
C-21	Female-57	Nottingham G3: 8-9 points High combined grade (unfavorable)	IIA	K-21	Female-68	Not Reported	NR
C-22	Female-46	Fuhrman G4: Nuclei bizarre and multilobated	I	K-22	Male-49	AJCC G4: Undifferentiated	IB
C-23	Female-52	Nottingham G3: 8-9 points High combined grade (unfavorable)	IIA	K-23	Male-29	Not Reported	NR
C-24	Female-59	Fuhrman G2: Nuclei slightly irregular	I	K-24	Male-72	AJCC G2: Moderately differentiated	IIB

D-01	Male-55	Not Reported	IIE	L-01	Male-31	Not Reported	NR
D-02	Male-71	Not Reported	NR	L-02	Female-55	Not Reported	III
D-03	Female-60	Not Reported	IIE	L-03	Female-64	Not Reported	NR
D-04	Female-82	Not Reported	NR	L-04	Female-55	Not Reported	III
D-05	Male-52	Not Reported	IIE	L-05	Female-60	Not Reported	NR
D-06	Male-41	Not Reported	NR	L-06	Female-39	Not Reported	IVA
D-07	Male-34	Not Reported	III	L-07	Female-61	Not Reported	NR
D-08	Male-36	Not Reported	NR	L-08	Female-41		NR
D-09	Male-61	Not Reported	IV	L-09	Male-51	Not Reported	NR
D-10	Female-63	See Other Pathology Notes	NR	L-10	Male-58	AJCC G3: Poorly differentiated	Normal
D-11	Male-58	Not Reported	IV	L-11	Male-66	Not Reported	NR
D-12	Female-85	Other Histologic Grade	NR	L-12	Male-80	Gleason Score: 3+3=6/10	Normal
D-13	Male-58	Not Reported	IV	L-13	Male-76	Not Reported	NR
D-14	Male-81		Normal	L-14	Male-66	AJCC G1: Well differentiated	0a
D-15	Male-47	Not Reported	IV	L-15	Female-69	AJCC G1: Well differentiated	NR
D-16	Male-79		Normal	L-16	Male-70	AJCC G3: Poorly differentiated	I
D-17	Male-55	Not Reported	IV	L-17	Female-73	AJCC G1: Well differentiated	NR
D-18	Male-59		Normal	L-18	Male-68	AJCC G4: Undifferentiated	II
D-19	Male-49	Not Reported	IV	L-19	Male-53	Gleason Score: 3+3=6/10	Normal
D-20	Male-79		Normal	L-20	Female-65	AJCC G3: Poorly differentiated	II
D-21	Male-55	Not Reported	IV	L-21	Male-57	Gleason Score: 3+3=6/10	Normal
D-22	Male-80		Normal	L-22	Male-68	AJCC G4: Undifferentiated	II
D-23	Male-73	Not Reported	NR	L-23	Male-53	Gleason Score: 4+3=7/10	Normal
D-23	Male-56	AJCC G1: Well differentiated	Normal	L-24	Male-67	AJCC G1: Well differentiated	II
E-01	Female-43	Nottingham G3: 8-9 points High combined grade (unfavorable)	IIA	M-01	Male-71	Not Reported	NR
E-02	Male-43	Fuhrman G2: Nuclei slightly irregular	I	M-02	Male-41	Not Reported	IIB
E-03	Female-51	Nottingham G3: 8-9 points High combined grade (unfavorable)	IIA	M-03	Female-42	Not Applicable	Normal
E-04	Female-62	Fuhrman G2: Nuclei slightly irregular	I	M-04	Male-62	Not Reported	IIB
E-05	Female-48	Nottingham G3: 8-9 points High combined grade (unfavorable)	IIA	M-05	Female-43	Not Applicable	Normal
E-06	Female-53	Fuhrman G1: Nuclei round, uniform	I	M-06	Male-72	AJCC G2: Moderately differentiated	IIB
E-07	Not Sp-78	Nottingham G3: 8-9 points High combined grade (unfavorable)	IIA	M-07	Female-76	FIGO G3: Poorly differentiated	IB

E-08	Male-73	Fuhrman G2: Nuclei slightly irregular	I	M-08	Male-55	AJCC G2: Moderately differentiated	IIB
E-09	Female-56	NSABP Grade: Nuclear 3 of 3 & Histologic 3 of 3	IIB	M-09	Female-56	FIGO G1: Well differentiated	IB
E-10	Male-64	Fuhrman G3: Nuclei very irregular	II	M-10	Female-71	AJCC G2: Moderately differentiated	IIB
E-11	Female-50	NSABP Grade: Nuclear 3 of 3 & Histologic 3 of 3	IIB	M-11	Female-70	FIGO G2: Moderately differentiated	IC
E-12	Male-46	Fuhrman G4: Nuclei bizarre and multilobated	II	M-12	Male-65	AJCC G3: Poorly differentiated	IIB
E-13	Female-33	Nottingham G3: 8-9 points High combined grade (unfavorable)	IIB	M-13	Female-77	FIGO G2: Moderately differentiated	IC
E-14	Male-4	See Other Pathology Notes	II	M-14	Male-76	AJCC G2: Moderately differentiated	IIIA
E-15	Female-49	Nottingham G2: 6-7 points Intermediate combined grade (moderately favorable)	IIIA	M-15	Female-57	FIGO G2: Moderately differentiated	IC
E-16	Male-59	Fuhrman G2: Nuclei slightly irregular	II	M-16	Male-58	AJCC G3: Poorly differentiated	IIIA
E-17	Female-34	Nottingham G3: 8-9 points High combined grade (unfavorable)	IIIA	M-17	Female-87	FIGO G3: Poorly differentiated	IIA
E-18	Male-59	Fuhrman G3: Nuclei very irregular	III	M-18	Female-46	AJCC G2: Moderately differentiated	IV
E-19	Female-72	Nottingham G2: 6-7 points Intermediate combined grade (moderately favorable)	IIIA	M-19	Female-62	FIGO G3: Poorly differentiated	IIB
E-20	Female-55	Fuhrman G3: Nuclei very irregular	III	M-20	Female-64	Not Reported	NR
E-21	Female-85	NSABP Grade: Nuclear 3 of 3 & Histologic 2 of 3	IIIA	M-21	Female-68	FIGO G3: Poorly differentiated	IIB
E-22	Male-51	Fuhrman G4: Nuclei bizarre and multilobated	IV	M-22	Female-52	Not Reported	NR
E-23	Female-63	Nottingham G2: 6-7 points Intermediate combined grade (moderately favorable)	IIIA	M-23	Female-58	FIGO G2: Moderately differentiated	IIB
E-24	Female-55	Not Reported	NR	M-24	Female-18		Normal
F-01	Female-37	FIGO G3: Poorly differentiated	Normal	N-01	Male-53	Gleason Score: 4+3=7/10	Normal
F-02	Male-46	Not Reported	I	N-02	Male-67	AJCC G1: Well differentiated	II
F-03	Female-54	FIGO G3: Poorly differentiated	Normal	N-03	Male-53	Gleason Score: 4+3=7/10	Normal
F-04	Male-31	Not Reported	I	N-04	Male-82	Not Reported	III
F-05	Female-31		Normal	N-05	Male-65	Gleason Score: 3+4=7/10	II
F-06	Male-55	Not Reported	I	N-06	Male-73	AJCC G3: Poorly differentiated	III
F-07	Female-41	AJCC GB: Borderline malignancy	IA	N-07	Male-61	Gleason Score: 3+4=7/10	II
F-08	Male-20	Not Reported	I	N-08	Male-62	AJCC G3-4: Poorly differentiated or undifferentiated	III
F-09	Not Sp-71	Not Reported	IA	N-09	Male-63	Gleason Score: 3+4=7/10	II

F-10	Male-60	Not Reported	I	N-10	Female-58	AJCC G3: Poorly differentiated	III
F-11	Female-70	FIGO G3: Poorly differentiated	IA	N-11	Male-59	Gleason Score: 4+5=9/10	II
F-12	Male-37	Not Reported	I	N-12	Female-42	AJCC G3: Poorly differentiated	III
F-13	Female-42	AJCC GB: Borderline malignancy	IA	N-13	Male-63	Gleason Score: 3+4=7/10	II
F-14	Male-15	Not Reported	I	N-14	Female-65	AJCC G3: Poorly differentiated	III
F-15	Female-46	AJCC GB: Borderline malignancy	IA	N-15	Male-63	Gleason Score: 3+4=7/10	II
F-16	Male-37	Not Reported	I	N-16	Male-59	AJCC G3: Poorly differentiated	III
F-17	Female-58	FIGO G1: Well differentiated	IB	N-17	Male-70	Gleason Score: 3+4=7/10	II
F-18	Male-20	Not Reported	I	N-18	Male-101	AJCC G4: Undifferentiated	III
F-19	Female-63	FIGO G3: Poorly differentiated	IB	N-19	Male-63	Gleason Score: 3+4=7/10	II
F-20	Male-31	Not Reported	I	N-20	Male-50	AJCC G3: Poorly differentiated	III
F-21	Female-45	AJCC GB: Borderline malignancy	IC	N-21	Male-53	Gleason Score: 3+3=6/10	II
F-22	Male-40	Not Reported	I	N-22	Male-69	AJCC G2: Moderately differentiated	III
F-23	Female-65	FIGO G3: Poorly differentiated	IIB	N-23	Male-83	Gleason Score: 5+4=9/10	II
F-24	Male-27	Not Reported	IA	N-24	Male-68	AJCC G4: Undifferentiated	IV
G-01	Female-63	Nottingham G2: 6-7 points Intermediate combined grade (moderately favorable)	IIIA	O-01	Female-79	FIGO G3: Poorly differentiated	IIIA
G-02	Male-77	Not Reported	NR	O-02	Male-57	Gleason Score: 4+4=8/10	Normal
G-03	Female-50	Nottingham G3: 8-9 points High combined grade (unfavorable)	IIIC	O-03	Female-65	FIGO G3: Poorly differentiated	IIIC
G-04	Female-41	Fuhrman G3: Nuclei very irregular	NR	O-04	Male-43		Normal
G-05	Female-55	Nottingham G3: 8-9 points High combined grade (unfavorable)	IIIC	O-05	Female-78	FIGO G3: Poorly differentiated	IIIC
G-06	Male-76	Not Reported	NR	O-06	Male-86	Not Reported	I
G-07	Female-68	Nottingham G3: 8-9 points High combined grade (unfavorable)	IIIC	O-07	Female-81	FIGO G2: Moderately differentiated	IIIC
G-08	Female-57		NR	O-08	Male-57	Not Reported	I
G-09	Female-35		Normal	O-09	Female-53	FIGO G3: Poorly differentiated	IIIC
G-10	Male-73	AJCC G2: Moderately differentiated	Normal	O-10	Male-37	WHO Grade I	I
G-11	Female-42		Normal	O-11	Female-46	FIGO G2: Moderately differentiated	IV
G-12	Female-51	Not Reported	Normal	O-12	Male-48	Not Reported	I
G-13	Female-38		Normal	O-13	Male-73	AJCC G3: Poorly differentiated	Normal

G-14	Female-65	Not Reported	Normal		O-14	Male-75	Not Reported	I
G-15	Female-36		Normal		O-15	Male-53	AJCC G1: Well differentiated	Normal
G-16	Male-79	AJCC G2: Moderately differentiated	I		O-16	Male-38	WHO Grade II	I
G-17	Female-57	FIGO G2: Moderately differentiated	IB		O-17	Female-66	AJCC G3: Poorly differentiated	Normal
G-18	Male-66	AJCC G3: Poorly differentiated	I		O-18	Male-21	Not Reported	I
G-19	Female-36	FIGO G2: Moderately differentiated	IB1		O-19	Male-60	Not Reported	I
G-20	Female-61	AJCC G1: Well differentiated	I		O-20	Male-76	Not Reported	I
G-21	Female-37	Not Reported	IB2		O-21	Male-67	AJCC G1: Well differentiated	I
G-22	Female-62	AJCC G2: Moderately differentiated	I		O-22	Male-21	Not Reported	I
G-23	Female-40	Not Reported	IB2		O-23	Male-52	AJCC G2: Moderately differentiated	I
G-24	Female-62	AJCC G2: Moderately differentiated	I		O-24	Male-62	Not Reported	I
H-01	Female-50	FIGO G2: Moderately differentiated	IIB		P-01	Male-63	Gleason Score: 3+4=7/10	II
H-02	Male-28	Not Reported	IA		P-02	Male-82	AJCC G3: Poorly differentiated	IV
H-03	Female-58	FIGO G3: Poorly differentiated	IIB		P-03	Male-61	Gleason Score: 3+4=7/10	III
H-04	Male-47	Not Reported	IB		P-04	Male-80	AJCC G4: Undifferentiated	IV
H-05	Female-91	FIGO G3: Poorly differentiated	III		P-05	Male-57	Gleason Score: 4+5=9/10	III
H-06	Male-32	Not Reported	IB		P-06	Male-76	Other Histologic Grade	IV
H-07	Female-51	Not Reported	III		P-07	Male-53	Gleason Score: 3+3=6/10	III
H-08	Male-26	Not Reported	IB		P-08	Male-101	AJCC G3: Poorly differentiated	IV
H-09	Female-44	AJCC GB: Borderline malignancy	IIIA		P-09	Male-64	Gleason Score: 4+3=7/10	III
H-10	Male-41	Not Reported	IB		P-10	Female-42		Normal
H-11	Female-49	AJCC GB: Borderline malignancy	IIIA		P-11	Male-54	Gleason Score: 5+4=9/10	III
H-12	Male-39	Not Reported	IB		P-12	Female-28		Normal
H-13	Female-77	Not Reported	IIIB		P-13	Male-48	Gleason Score: 4+5=9/10	III
H-14	Male-48	Not Reported	IB		P-14	Female-35		Normal
H-15	Female-47	AJCC GB: Borderline malignancy	IIIC		P-15	Male-61	Gleason Score: 4+4=8/10	III
H-16	Female-42	Not Reported	Normal		P-16	Female-75	FIGO G2: Moderately differentiated	IB
H-17	Female-47	FIGO G3: Poorly differentiated	IIIC		P-17	Male-64	Gleason Score: 4+3=7/10	IV
H-18	Female-57	Not Reported	Normal		P-18	Female-77	FIGO G3: Poorly differentiated	IIB
H-19	Female-57	FIGO G3: Poorly differentiated	IIIC		P-19	Male-87	Gleason Score: 5+4=9/10	NR
H-20	Female-65	Not Reported	Normal		P-20	-		

H-21	Female-44	FIGO G3: Poorly differentiated	IIIC	P-21	Male-77	Gleason Score: 4+4=8/10	NR
H-22	Female-27	Not Reported	I	P-22	-		
H-23	Female-68	FIGO G3: Poorly differentiated	IV	P-23	Female-32		Normal
H-24	Female-27	Not Reported	I	P-24	-		