

# Anti-Tropomyosin(36kD) Antibody (Monoclonal, TM228)

Catalog Number: MA1096

## Description

Gene Name	
Protein Name	
Size	100µg/vial
Form	Lyophilized
Ig Type	Mouse IgG2a
Purification	Ascites
Species	Chicken, Human, Rabbit
Immunogen	Chicken gizzard tropomyosin.
Contents	Mouse ascites fluid, 1.2% sodium acetate, 2mg BSA, with 0.01mg NaN3 as preservative.
Clonality	Monoclonal
Clone Number	TM228

## Applications

	Concentration	Tested Species	Predicted Species	Antigen Retrieval
Western blot	0.5-1µg/ml	Human, chicken, rabbit	-	
Immunohistochemistry(Frozen Section)	1-2µg/ml	Human, chicken, rabbit	-	

*Other applications have not been tested.*

AMSBIO | [www.amsbio.com](http://www.amsbio.com) | [info@amsbio.com](mailto:info@amsbio.com)

 **UK & Rest of the World**  
184 Park Drive, Milton Park  
Abingdon OX14 4SE, UK  
T: +44 (0)1235 828 200  
F: +44 (0) 1235 820 482

 **North America**  
1035 Cambridge Street,  
Cambridge, MA 02141  
T: +1 (617) 945-5033 or  
T: +1 (800) 987-0985  
F: +1 (617) 945-8218

 **Germany**  
Bockenheimer Landstr. 17/19  
60325 Frankfurt/Main  
T: +49 (0) 69 779099  
F: +49 (0) 69 13376880

 **Switzerland**  
Centro Nord-Sud 2E  
CH-6934 Bioggio-Lugano  
T: +41(0) 91 604 55 22  
F: +41(0) 91 605 17 85

## Preparation and storage

Reconstitution:	Add 1ml of PBS buffer will yield a concentration of 100ug/ml.
Storage:	At -20°C for one year. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.

## Relevant detection systems

Boster recommends Enhanced Chemiluminescent Kit with anti-Mouse IgG (EK1001) for Western blot, and HRP Conjugated anti-Mouse IgG Super Vision Assay Kit (SV0001-1) for IHC(F).

## Background

The tropomyosins are a family of actin filament binding proteins. These proteins were first isolated from skeletal muscle, but later identified in many nonmuscle tissues. Tropomyosins are ubiquitous proteins of 35 to 45 kD associated with the actin filaments of myofibrils and stress fibers. Vertebrates have at least 4 different tropomyosin genes; in humans, they are named TPM1, TPM2, TPM3, and TPM4. Tropomyosins expressed as different isoforms in muscle and non-muscle cells.

AMSBIO | [www.amsbio.com](http://www.amsbio.com) | [info@amsbio.com](mailto:info@amsbio.com)

 **UK & Rest of the World**  
184 Park Drive, Milton Park  
Abingdon OX14 4SE, UK  
T: +44 (0)1235 828 200  
F: +44 (0) 1235 820 482

 **North America**  
1035 Cambridge Street,  
Cambridge, MA 02141  
T: +1 (617) 945-5033 or  
T: +1 (800) 987-0985  
F: +1 (617) 945-8218

 **Germany**  
Bockenheimer Landstr. 17/19  
60325 Frankfurt/Main  
T: +49 (0) 69 779099  
F: +49 (0) 69 13376880

 **Switzerland**  
Centro Nord-Sud 2E  
CH-6934 Bioggio-Lugano  
T: +41(0) 91 604 55 22  
F: +41(0) 91 605 17 85