


MDA-MB-231 / Luciferase Stable Cell Line

Catalog Number	Product	Amount
SC059-Bsd	MDA-MB-231 / Luciferase (Bsd) Stable Cell Line	1 vial of cells (2 x 10 ⁶ cells) in completed
SC059-Puro	MDA-MB-231 / Luciferase (Puro) Stable Cell Line	medium with 10% DMSO

Product Description

The MDA-MB-231 is one of the common researched human breast cancer cell line, derived from metastatic breast cancer, mammary gland epithelial cells. This cell line cultured as adhesive cell in flash, passed with trypsin/EDTA with high colony forming efficiency.

The twos reporter cell line were transformed from the MDA-MB-231 cell line, and stably expressing the firefly Luciferase reporter. The cell lines were established by transduction with Luciferase expression lentivirus containing either a Blasticidin or Puromycin resistance. Luciferase is constitutively expressed under our proprietary <u>super strong constitutive CMV promoter</u>. The following expression construct was integrated into cell's genome.



The Luciferase signal can be detected, *in vivo and in vitro*, via luciferase assay using its substrate, D-luciferin.

AMSBIO| www.amsbio.com | info@amsbio.com

UK & Rest of the World 184 Park Drive, Milton Park Abingdon OX14 4SE. T: +44 (0) 1235 828 200 F: +44 (0) 1235 820 482

North America 1035 Cambridge Street, Cambridge, MA 02141. T: +1 (617) 945-5033 or T: +1 (800) 987-0985 F: +1 (617) 945-8218

Berenkoog 41, 1822 BH Alkmaar, Netherlands T: +31 (0)728080244 F: +31 (0)728080142

Europe

Switzerland Via Lisano 3, (CP.683) CH-6900 T: +41 (0) 91 604 55 22 F: +41 (0) 91 605 17 85

Germany Bockenheimer Landstr. 17/19 60325 Frankfurt/Main T: +49 (0) 69 779099

F: +49 (0) 69 13376880



Culture procedures

- 1. Thaw the frozen vial of cells quickly in a 37°C water bath (1~3min), decontaminate the outside of the vial with 70% ethanol.
- 2. Transfer the entire contents of the cryovial into a T-75 cm2 flask containing 20 ml of pre-warmed complete medium. Incubate the cells overnight in a 37°C incubator, without CO2.
- 3. On the following day, replace the medium with 20 ml of prewarmed, complete medium.
- 4. Incubate the cells and monitor cell density.
- 5. Pass cells (1:5 to 1:10 dilution) using 0.25% Trypsin-EDTA solution when the culture reaches ~90% confluent.
- 6. Freeze cells at a density of $\sim 3 \times 10^6$ cells/ml using 90% complete medium with 10% DMSO.

Complete medium

L-15 Medium 10% Fetal Bovine Serum (FBS) 0.1 mM Non-Essential Amino Acid (NEAA) 2mM L-Glutamine, 1% Pen-strep

Option to add: Depend on cell selection, add final concentration of Puromycin at 1 ug/ml, or Blasticidin at: 5 ug/ml (Note: do not add antibiotic at 1st time cell thaw).

Quality Control

Each vial contains $\sim 2 \times 10^6$ cells with >95% viability before freezing. Cells are verified to be free of bacteria, viruses, and mycoplasma.

Warranty and user terms

1. This product is warranted to perform as described when used in accordance with this manual. AMSBIO MAKES NO REPRESENTATIONS AND EXTENDS NO WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED. AMSBIO's sole remedy for breach of warranty should be, at the option of AMSBIO, to repair or replace the product if this product does not meet the stated quality standard.

AMSBIO | www.amsbio.com | info@amsbio.com

UK & Rest of the World 184 Park Drive, Milton Park Abingdon OX14 4SE. T: +44 (0) 1235 828 200 F: +44 (0) 1235 820 482

North America 1035 Cambridge Street, Cambridge, MA 02141. T: +1 (617) 945-5033 or T: +1 (800) 987-0985 F: +1 (617) 945-8218

Europe Berenkoog 41, 1822 BH Alkmaar. Netherlands T: +31(0)728080244 F: +31 (0) 72 8080142 Switzerland Via Lisano 3. (CP.683) CH-6900 T: +41 (0) 91 604 55 22 F: +41 (0) 91 605 17 85

+



- 2. By paying the purchase price, the buyer is granted a non-transferable, nonexclusive license to use the product. This product is sold **for research and development purposes only**.
- 3. This product is limited to the laboratory that the product is delivered to. This Product is not for resale, distribution, or transfer for any purpose, including transfer of the Product as a component of any products. AMSBIO will retain all rights for this Product's license and other intellectual property.
- 4. This Product should be used only for non-profit purposes, including any products and services usages. Furthermore, **research use only** means that this product is excluded, without limitation, from resale, repackaging, or modification for the purpose of making or selling of any commercial products or services without the written approval of AMSBIO. You may contact our Business Development department at info@amsbio.com for product proprietary information.
- 5. AMSBIO is not liable, and does not have any responsibility or liability, whatsoever for any direct and indirect, consequential, or other damages resulting from using this Product.
- 6. AMSBIO **does not** provide the protected reporter's sequences information for all our cell line products unless a license was purchased.

<u>SC001</u>	HEK293-GFP stable cells
SC002-Bsd	luciferase (firefly), HEK293 stable cells (Blasticidin)
<u>SC002-GB</u>	luciferase (firefly), HEK293 stable cells (GFP-Blasticidin)
SC002-GP	luciferase (firefly), HEK293 stable cells (GFP-Puromycin)
SC002-Neo	luciferase (firefly), HEK293 stable cells (Neomycin)
SC002-Puro	luciferase (firefly), HEK293 stable cells (Puromycin)
<u>SC002-RB</u>	luciferase (firefly), HEK293 stable cells (RFP, Blasticidin)

Attachment: AMSBIO's pre-made stable cell line list:

AMSBIO| www.amsbio.com | info@amsbio.com

UK & Rest of the World 184 Park Drive, Milton Park Abingdon OX14 4SE. T: +44 (0) 1235 828 200 F: +44 (0) 1235 820 482 North America 1035 Cambridge Street, Cambridge, MA 02141. T: +1 (617) 945-5033 or T: +1 (800) 987-0985 F: +1 (617) 945-8218

Europe Berenkoog 41, 1822 BH Alkmaar, Netherlands T: +31 (0) 72 8080244 F: +31 (0) 72 8080142 Switzerland Via Lisano 3, (CP.683) CH-6900 T: +41 (0) 91 604 55 22 F: +41 (0) 91 605 17 85



<u>SC002-RP</u>	luciferase (firefly), HEK293 stable cells (RFP-Puromycin)
SC002T-RP	HEK293T / Luciferase stable cells (RFP- Puromycin)
<u>SC003</u>	LacZ (RFP) Expression stable cell line
<u>SC004-Bsd</u>	CRE stable cells with Blasticidin marker
<u>SC004-GP</u>	CRE stable cells with GFP-Puromycin dual marker
<u>SC004-Neo</u>	CRE stable cells with Neomycin marker
SC004-Puro	CRE stable cells with Puromycin marker
<u>SC004-RB</u>	CRE stable cells with RFP-blasticidin dual marker
<u>SC004-RP</u>	CRE stable cells with RFP-Puromycin dual marker
SC005-Bsd	HEK293-TetR (Bsd)
<u>SC005-GB</u>	HEK293-TetR (GFP-Bsd)
SC005-Hygro	HEK293-TetR (Hygro)
<u>SC005-Neo</u>	HEK293-TetR (Neo)
SC005-Puro	HEK293-TetR (Puro)
<u>SC005-RB</u>	HEK293-TetR (RFP-Bsd)

AMSBIO| www.amsbio.com | info@amsbio.com

UK & Rest of the World 184 Park Drive, Milton Park Abingdon OX 14 4SE. T: +44 (0) 1235 828 200 F: +44 (0) 1235 820 482 North America 1035 Cambridge Street, Cambridge, MA 02141. T: +1 (617) 945-5033 or T: +1 (800) 987-0985 F: +1 (617) 945-8218

Europe Berenkoog 41, 1822 BH Alkmaar, Netherlands T: +31 (0)72 8080244 F: +31 (0)72 8080142 Switzerland Via Lisano 3, (CP.683) CH-6900 T: +41 (0) 91 604 55 22 F: +41 (0) 91 605 17 85

+



<u>SC005-RP</u>	HEK293-TetR (RFP-Puro)
<u>SC006</u>	Flp recombinase expression HEK293 stable cell
<u>SC007</u>	HEK293-RFP stable cells
<u>SC008</u>	GFP-LacZ & RFP stable cells
<u>SC009</u>	GFP & RFP HEK293 stable cells
<u>SC010</u>	HEK293-CFP stable cells
<u>SC011</u>	HEK293-YFP stable cells
<u>SC012</u>	TAT stable cells
<u>SC013</u>	Glutamine Synthesis stable cells
<u>SC014</u>	Inducible h P53 stable cells
<u>SC015</u>	h OCT3/4 stable cells
<u>SC016</u>	h LIN28 stable cells
SC018-Bsd	Color Switch, CRE report cell line: HEK293- loxP-GFP-RFP (Bsd)
SC018-Neo	Color Switch, CRE report cell line: HEK293- loxP-GFP-RFP Neo)
SC018-Puro	Color Switch, CRE report cell line: HEK293- loxP-GFP-RFP (Puro)

AMSBIO| www.amsbio.com | info@amsbio.com

UK & Rest of the World 184 Park Drive, Milton Park Abingdon OX 14 4SE. T: +44 (0) 1235 828 200 F: +44 (0) 1235 820 482 North America 1035 Cambridge Street, Cambridge, MA 02141. T: +1 (617) 945-5033 or T: +1 (800) 987-0985 F: +1 (617) 945-8218

Europe Berenkoog 41, 1822 BH Alkmaar, Netherlands T: +31 (0)72 8080244 F: +31 (0)72 8080142 Switzerland Via Lisano 3, (CP.683) CH-6900 T: +41 (0) 91 604 55 22 F: +41 (0) 91 605 17 85

+

SC020-Puro	luciferase (Renilla), HEK293 stable cells (Puromycin)
<u>SC020-RP</u>	luciferase (Renilla), HEK293 stable cells (RFP-Puromycin)
<u>SC021-GB</u>	Luciferase (firefly) and CRE co-expression stable cell line (GFP-Blasticidin)
SC021-Puro	Luciferase (firefly) and CRE co-expression stable cell line (puromycin)
<u>SC021-RP</u>	Luciferase (firefly) and CRE co-expression stable cell line (RFP-puromycin)
<u>SC022-RB</u>	HEK293-CFTR cell line with RFP and Blasticidin dual marker
<u>SC023-RB</u>	HEK293-CLCN2 cell line with RFP and Blasticidin dual marker
<u>SC024-RB</u>	HEK293-TRPC3 cell line with RFP and Puromycin dual marker
<u>SC025-RB</u>	HEK293-KCNN4 cell line with RFP and Puromycin dual marker
<u>SC026-RB</u>	HEK293-ATP2B2 cell line with RFP and Puromycin dual marker
<u>SC027-RB</u>	HEK293-TRPV1 cell line with RFP and Puromycin dual marker
<u>SC028</u>	Inducible RFP HEK293 stable cell line
<u>SC029</u>	inducible RFP HEK293 stable cell line with GFP marker
<u>SC030</u>	inducible GFP HEK293 stable cell line with RFP marker
SC031-Puro	Hela-RFP stable cells

AMSBIO| www.amsbio.com | info@amsbio.com

UK & Rest of the World 184 Park Drive, Milton Park Abingdon OX14 4SE. T: +44 (0) 1235 828 200 F: +44 (0) 1235 820 482 North America 1035 Cambridge Street, Cambridge, MA 02141. T: +1 (617) 945-5033 or T: +1 (800) 987-0985 F: +1 (617) 945-8218

Europe Berenkoog 41, 1822 BH Alkmaar, Netherlands T: +31 (0)72 8080244 F: +31 (0)72 8080142 Switzerland Via Lisano 3, (CP.683) CH-6900 T: +41 (0) 91 604 55 22 F: +41 (0) 91 605 17 85

+



SC032-Bsd	Luciferase (firefly), Hela stable cells (Blasticidin)
<u>SC032-GB</u>	Luciferase-2A-GFP, Hela stable cells (Blasticidin)
<u>SC032-GN</u>	Luciferase-2A-GFP, Hela stable cells (Neomycin)
<u>SC032-GP</u>	Luciferase-2A-GFP, Hela stable cells (Puromycin)
SC032-Puro	Luciferase (firefly), Hela stable cells (Puromycin)
<u>SC032-RB</u>	Luciferase-2A-RFP, Hela stable cells (Blasticidin)
<u>SC032-RN</u>	Luciferase-2A-RFP, Hela stable cells (Neomycin)
<u>SC032-RP</u>	Luciferase-2A-RFP, Hela stable cells (Puromycin)
<u>SC033</u>	Inducible GFP HEK293 stable cell line
<u>SC034-Bsd</u>	Hela-GFP stable cells (Blasticidin)
SC034-Puro	Hela-GFP stable cells (Puromycin)
SC035-Puro	Hela-TetR (Puro) stable cells
<u>SC036</u>	Inducible GFP Hela stable cell line
<u>SC037</u>	Inducible RFP Hela stable cell line
<u>SC038-GB</u>	Hela-rtTA (GFP-Bsd) stable cells

AMSBIO| www.amsbio.com | info@amsbio.com

UK & Rest of the World 184 Park Drive, Milton Park Abingdon OX 14 4SE. T: +44 (0) 1235 828 200 F: +44 (0) 1235 820 482 North America 1035 Cambridge Street, Cambridge, MA 02141. T: +1 (617) 945-5033 or T: +1 (800) 987-0985 F: +1 (617) 945-8218

Europe Berenkoog 41, 1822 BH Alkmaar, Netherlands T: +31 (0)72 8080244 F: +31 (0)72 8080142 Switzerland Via Lisano 3, (CP.683) CH-6900 T: +41 (0) 91 604 55 22 F: +41 (0) 91 605 17 85

+

<u>SC038-GP</u>	Hela-rtTA (GFP-Puro) stable cells
<u>SC038-RB</u>	Hela-rtTA (RFP-Bsd) stable cells
<u>SC039-Bsd</u>	CHO-GFP stable cells (Blasticidin)
SC039-Puro	CHO-GFP stable cells (Puromycin)
SC040-Bsd	MDA-MB-231 / GFP (Bsd) Stable Cell Line
SC040-Puro	MDA-MB-231 / GFP (Puro) Stable Cell Line
SC040-TetR	MDA-MB-231 / TetR (Puro) stable cells
<u>SC041</u>	MDA-MB-231 / Luciferase-2A-RFP Stable Cell Line
<u>SC042</u>	SH-SY5Y / GFP (Puromycin) stable cell line
SC043-Bsd	A549 / GFP stable cells (Blasticidin)
SC043-Cas9-GP	A549 / Cas9 (GFP-Puro) Stable Cell Line
SC043-Cas9-Puro	A549 / Cas9 (Puro) Stable Cell Line
SC043-Cas9-RP	A549 / Cas9 (RFP-Puro) Stable Cell Line
<u>SC043-LG</u>	A549 / Luciferase-2A-GFP (Puromycin) stable cell line
SC043-Luc	A549 / Luciferase (Puromycin) stable cell line

AMSBIO| www.amsbio.com | info@amsbio.com

UK & Rest of the World 184 Park Drive, Milton Park Abingdon OX14 4SE. T: +44 (0) 1235 828 200 F: +44 (0) 1235 820 482

North America 1035 Cambridge Street, Cambridge, MA 02141. T: +1 (617) 945-5033 or T: +1 (800) 987-0985 F: +1 (617) 945-8218

Europe Berenkoog 41, 1822 BH Alkmaar, Netherlands T: +31 (0) 72 8080244 F: +31 (0) 72 8080142 Switzerland Via Lisano 3, (CP.683) CH-6900 T: +41 (0) 91 604 55 22 F: +41 (0) 91 605 17 85

+

SC043-TetR	A549 / TetR (Puro) stable cells
<u>SC044</u>	MDA-MB-231 / Luciferase-2A-GFP Stable Cell Line
SC045-Cas9-Bsd	Hela / Cas9 (Bad) Stable Cell Line
<u>SC046</u>	SH-SY5Y / RFP (Puromycin) stable cell line
<u>SC047-GB</u>	RKO / GFP Stable Cell Line (Blasticidin)
SC047-TetR	RKO / TetR (Bsd) Stable Cell Line
<u>SC048</u>	Jurkat T Cell /Firefly Luciferase (Puro) Stable Cell line
<u>SC049-1</u>	Jurkat T / GFP Stable Cell (EF1a Promoter)
<u>SC049-2</u>	Jurkat T / GFP Stable Cell (Flt1 Promoter)
<u>SC049-3</u>	Jurkat T / GFP Stable Cell (CD43 Promoter)
<u>SC049-4</u>	Jurkat T / GFP Stable Cell (CD68 Promoter)
<u>SC049-5</u>	Jurkat T / GFP Stable Cell (Survivin Promoter)
<u>SC050-G</u>	MCF7 / GFP (Puromycin) Stable Cell Line
<u>SC050-L</u>	MCF7 / Firefly Luciferase (Puro) Stable Cell Line
<u>SC051-G</u>	ZR-75-1 / GFP (Puromycin) Stable Cell Line

AMSBIO| www.amsbio.com | info@amsbio.com

UK & Rest of the World 184 Park Drive, Milton Park Abingdon OX14 4SE. T: +44 (0) 1235 828 200 F: +44 (0) 1235 820 482 North America 1035 Cambridge Street, Cambridge, MA 02141. T: +1 (617) 945-5033 or T: +1 (800) 987-0985 F: +1 (617) 945-8218

Europe Berenkoog 41, 1822 BH Alkmaar, Netherlands T: +31 (0)72 8080244 F: +31 (0)72 8080142 Switzerland Via Lisano 3, (CP.683) CH-6900 T: +41 (0) 91 604 55 22 F: +41 (0) 91 605 17 85

+

<u>SC051-L</u>	ZR-75-1 / Firefly Luciferase (Puro) Stable Cell Line
<u>SC053-L</u>	NCI-H1299 / Luciferase (Puro) Stable Cells
<u>SC054-L</u>	CFPAC-1 / Luciferase (Puro) Stable Cells
<u>SC055-G</u>	MLLB2 / GFP (Neomycin) stable cell line
SC056-TetR	mouse CT26 / TetR (Bsd) stable cells
SC057-Bsd	MDA-MB-231 / RFP (Bsd) Stable Cell Line
<u>SC058</u>	HEK293 / uGFP (unstable GFP) Stable Cells
SC059-Bsd	MDA-MB-231 / Luciferase (Bsd) Stable Cell Line
SC059-Puro	MDA-MB-231 / Luciferase (Puro) Stable Cell Line
<u>SC060-G</u>	Human B lymphocyte / GFP Stable Cells
<u>SC060-LG</u>	Human B lymphocyte (Luciferase / GFP) Stable Cells
<u>SC060-LR</u>	Human B lymphocyte (Luciferase / RFP) Stable Cells
<u>SC060-R</u>	Human B lymphocyte / RFP Stable Cells
<u>SC061-G</u>	Mouse CT26 / GFP Stable Cells
<u>SC061-LG</u>	Mouse CT26 (Luciferase & GFP) Stable Cells

AMSBIO| www.amsbio.com | info@amsbio.com

UK & Rest of the World 184 Park Drive, Milton Park Abingdon OX 14 4SE. T: +44 (0) 1235 828 200 F: +44 (0) 1235 820 482 North America 1035 Cambridge Street, Cambridge, MA 02141. T: +1 (617) 945-5033 or T: +1 (800) 987-0985 F: +1 (617) 945-8218

Europe Berenkoog 41, 1822 BH Alkmaar, Netherlands T: +31 (0)72 8080244 F: +31 (0)72 8080142 Switzerland Via Lisano 3, (CP.683) CH-6900 T: +41 (0) 91 604 55 22 F: +41 (0) 91 605 17 85

+

<u>SC061-LR</u>	Mouse CT26 (Luciferase & RFP) Stable Cells
SC061-PDL1	Mouse CT26 / PDL1 Stable Cells
<u>SC061-R</u>	Mouse CT26 / RFP Stable Cells
<u>SC062-G</u>	Human AsPC1 / GFP Cell Line
<u>SC062-LG</u>	Human AsPC1 / Luciferase and GFP Cell Line
<u>SC062-LR</u>	Human AsPC1 / Luciferase and RFP Cell Line
SC062-Luc	Human AsPC1 / Luciferase Cell Line
<u>SC062-R</u>	Human AsPC1 / RFP Cell Line
<u>SC063-LR</u>	Mouse MOPC315 / Luciferase & RFP Cell Line
SC063-Luc	mouse MOPC315 / Luciferase Cell Line
<u>SC063-R</u>	Mouse MOPC315 / RFP Cell Line
<u>SC064-G</u>	Human HaCAT / GFP (Puro) Cell Line
SC064-TetR	Human HaCAT / TetR (Bsd) Cell Line
<u>SC065-G</u>	Mouse MB49 / GFP Stable Cells
<u>SC065-LG</u>	Mouse MB49 / Luciferase & GFP Stable Cells

AMSBIO| www.amsbio.com | info@amsbio.com

UK & Rest of the World 184 Park Drive, Milton Park Abingdon OX14 4SE. T: +44 (0) 1235 828 200 F: +44 (0) 1235 820 482

North America 1035 Cambridge Street, Cambridge, MA 02141. T: +1 (617) 945-5033 or T: +1 (800) 987-0985 F: +1 (617) 945-8218

Europe Berenkoog 41, 1822 BH Alkmaar, Netherlands T: +31 (0) 72 8080244 F: +31 (0) 72 8080142 Switzerland Via Lisano 3, (CP.683) CH-6900 T: +41 (0) 91 604 55 22 F: +41 (0) 91 605 17 85

+

<u>SC065-LR</u>	Mouse MB49 / Luciferase & RFP Stable Cells
<u>SC065-R</u>	Mouse MB49 / RFP Stable Cells
<u>SC066-G</u>	Human ES2 / GFP Stable Cells
<u>SC066-LG</u>	Human ES2 / Luciferase & GFP Stable Cells
<u>SC066-LR</u>	Human ES2 / Luciferase & RFP Stable Cells
<u>SC066-R</u>	Human ES2 / RFP Stable Cells
SC066-TetR	Human ES2 / TetR (Puro) Stable Cells
<u>SC067-G</u>	Human SW403 / GFP Stable Cells
SC067-Luc	Human SW403 / Luciferase Stable Cells
<u>SC068-G</u>	Human PANC-1 / GFP (Puro) Cell Line
<u>SC068-LG</u>	Human PANC-1 / Luciferase & GFP (Puro) Cell Line
SC068-Luc	Human PANC-1 / Luciferase (Puro) Cell Line
<u>SC068-R</u>	Human PANC-1 / RFP (Puro) Cell Line
<u>SC069-G</u>	Human 786-O / GFP Cell Line
<u>SC069-LG</u>	Human 786-O / Luciferase & GFP Cell Line

AMSBIO | www.amsbio.com | info@amsbio.com

UK & Rest of the World 184 Park Drive, Milton Park Abingdon OX14 4SE. T: +44 (0) 1235 828 200 F: +44 (0) 1235 820 482 North America 1035 Cambridge Street, Cambridge, MA 02141. T: +1 (617) 945-5033 or T: +1 (800) 987-0985 F: +1 (617) 945-8218

Europe Berenkoog 41, 1822 BH Alkmaar, Netherlands T: +31 (0) 72 8080244 F: +31 (0) 72 8080142 Switzerland Via Lisano 3, (CP.683) CH-6900 T: +41 (0) 91 604 55 22 F: +41 (0) 91 605 17 85



<u>SC069-luc</u>	Human 786-0 / Luciferase Cell Line
<u>SC070-G</u>	Hela-nucGFP stable cells
<u>SC070-R</u>	Hela-nucRFP stable cells
<u>SC072-G</u>	Human T47D / GFP Stable Cells
<u>SC072-LG</u>	Human T47D / Luciferase & GFP Stable Cells
SC072-Luc	Human T47D / Luciferase Stable Cells
<u>SC073-GB</u>	Human MCF10A / GFP (Bsd) Stable Cells
<u>SC073-GP</u>	Human MCF10A / GFP (Puro) Stable Cells
SC073-Luc	Human MCF10A / Luciferase (Puro) Stable Cells
<u>SC074-GB</u>	Human SW1990 / GFP (Bsd) Stable Cells
<u>SC074-GP</u>	Human SW1990 / GFP (Puro) Stable Cells
<u>SC074-LG</u>	Human SW1990 / Luciferase & GFP (Puro) Stable Cells
SC074-Luc	Human SW1990 / Luciferase (Puro) Stable Cells

AMSBIO| www.amsbio.com | info@amsbio.com

UK & Rest of the World 184 Park Drive, Milton Park Abingdon OX14 4SE. T: +44 (0) 1235 828 200 F: +44 (0) 1235 820 482

North America 1035 Cambridge Street, Cambridge, MA 02141. T: +1 (617) 945-5033 or T: +1 (800) 987-0985 F: +1 (617) 945-8218

Europe Berenkoog 41, 1822 BH Alkmaar, Netherlands T: +31 (0) 72 8080244 F: +31 (0) 72 8080142 Switzerland Via Lisano 3, (CP.683) CH-6900 T: +41 (0) 91 604 55 22 F: +41 (0) 91 605 17 85

+