



MATERIAL SAFETY DATA SHEET (2020)

1. Product identification:

Hyaluronidase Kit (cat no: **Ra003-01-HAK**)

Manufactured by: **Razie Biotech**

2. List of components:

Catalog #	Component	Quantity	Storage Temperature
FBHAL-01-6K	Reaction Buffer	6ml	4°C
FBHAL-02-5K	Base Buffer	10ml	4°C
FBHAL 03 100	Additive 1	100 µl	4°C
FBHAL-04 BE-100	Positive Control Enzyme	3 7mg Lyophilized	-20°C
FBHAL 05 PB300	Buffer for the Enzyme	200 µl	4°C
FB001 05 20	Strep HRP	10 µl	-20°C
FB001-06-10K	HRP Substrate	10ml	4°C
RA1003-01-HAP	Hyaluronic acid plate	1	-20°C

3 Hazards

It is recommended that all laboratory personnel follow standard safety procedures when handling this product. They should wear eye protection, gloves and protective clothing. Direct physical contact with all components in this product should be avoided.

Known hazardous components:

FB001 06 10K HRP Substrate (3,3',5,5'-Tetramethylbenzidine, TMB)

TOXIC by inhalation, skin contact and if swallowed. Can cause irreversible damage by inhalation, contact with skin or if swallowed. Irritating to the eyes and respiratory system. Potentially flammable.

Remaining components are classified as non hazardous due to their nature and/or concentration.

WARNING

Some components of this kit contain materials which
 can cause colouring of the skin and clothing
 can cause irritation to skin, eyes, respiratory and gastrointestinal tracts;
 are harmful if inhaled.

Potential Health Effects:

Inhalation: Irritation to respiratory tract. Symptoms include coughing, shortness of breath.

Ingestion: Toxic. Corrosive to mucous membranes. General gastro intestinal upset can be expected.

AMSBIO | www.amsbio.com | info@amsbio.com

 **UK & Rest of the World**
 184 Park Drive, Milton Park
 Abingdon OX14 4SE, U.K.
 T: +44 (0) 1235 828 200
 F: +44 (0) 1235 820 482

 **North America**
 1035 Cambridge Street,
 Cambridge, MA 02141.
 T: +1 (617) 945-5033 or
 T: +1 (800) 987-0985
 F: +1 (617) 945-8218

 **Germany**
 Bockenheimer Landstr. 17/19
 60325 Frankfurt/Main
 T: +49 (0) 69 779099
 F: +49 (0) 69 13376880

 **Switzerland**
 Via Lisano 3
 (CP.683)
 6900 Massagno
 T: +41 (0) 91 604 55 22
 F: +41 (0) 91 605 17 85

Skin contact: colouring, burns or irritation to skin. Symptoms include redness, itching, pain.
Eye contact: Irritation, possibly corrosive to eye tissues. Tearing, redness and pain are symptoms

4-First Aid Measures

Skin contact: Immediately wash with plenty of water for a minimum of 15 minutes.

Eye contact: Immediately flush with plenty of water for at least 20 minutes.

Seek immediate medical attention.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek immediate medical attention.

Ingestion: Do Not Induce Vomiting, Give large amounts of water, immediately get medical attention.

5. Fire Fighting Measures

Not considered to be a fire or explosive hazard.

Precautions during fire: Avoid inhalation of fumes. Move container from fire area if possible.

Extinguish the fire using any means available and is suitable for the surrounding fire.

6. Accidental Release Measures

Ventilate area. Wipe or pick up materials, place in sealed container and dispose of in accordance with local regulations then wash the spill area with water.

7. Handling and Storage

This kit should be only handled and used by trained personnel. Use eye protection and protective clothing and gloves, following Good Laboratory Practice.

This kit should be stored as recommended on the product leaflet. All components should be kept in tightly closed containers.

8. Exposure Controls / Personal Protection

As described in the previous sections

9. Stability and Reactivity

Stability: The kit components are stable for at least 6 months if kept under the specified storage conditions.

Reactivity: Not known

10. Toxicological Information

Contains some toxic materials. Harmful by ingestion, inhalation and skin exposure.

No known carcinogenic effects or Hazardous preservatives

11. Ecological Information

None available.

12. Disposal Considerations

Must be disposed of in accordance with local environmental control regulations.

The above information is believed to be correct, however, the physical, chemical, and toxicological properties of the product may not yet have been fully characterized. Razie Biotech recommends the use of gloves, lab coats and eye protection while using or handling components of this kit. During the detection stage, the reaction is stopped using 0.12M hydrochloric acid (HCl) solution (NOT supplied in the kit). It is strongly advised that the user should follow the safety procedure recommended by the HCl provider and follow general laboratory precautions needed for using hydrochloric acid.

Razie Biotech assumes no liability for damage resulting from handling or contact with the above product. This MSDS does not represent any guarantee of the properties of the product.

AMSBIO | www.amsbio.com | info@amsbio.com



UK & Rest of the World

184 Park Drive, Milton Park
Abingdon OX14 4SE, U.K.
T: +44 (0) 1235 828 200
F: +44 (0) 1235 820 482



North America

1035 Cambridge Street,
Cambridge, MA 02141.
T: +1 (617) 945-5033 or
T: +1 (800) 987-0985
F: +1 (617) 945-8218



Germany

Bockenheimer Landstr. 17/19
60325 Frankfurt/Main
T: +49 (0) 69 779099
F: +49 (0) 69 13376880



Switzerland

Via Lisano 3
(CP.683)
6900 Massagno
T: +41 (0) 91 604 55 22
F: +41 (0) 91 605 17 85