# **Application Note**

# **Isolation of Human Epithelial Cells** with Collagenase NB 4G Proved Grade

## **Product Information Collagenase NB 4G Proved Grade**

Collagenase NB 4G Proved Grade is designed for dissociation of different tissues to isolate various cell types, e.g. rodent hepatocytes. A balanced ratio of collagenase and other proteases guarantees a high yield of viable cells.

### **Specification**

Collagenase activity:  $\geq 0.18$  U/mg (PZ\*) \*PZ units acc. to Wünsch

The lots-specific activity of the Collagenase NB 4G Proved Grade is stated on the certificate of analysis which is attached to every delivery.

#### **Storage Conditions**

Collagenase NB 4G Proved Grade is provided as a lyophilized powder and should be stored in a dry environment at +2 to +8 °C.

Stock solutions can be 0.2 µm filtered and stored at -20 °C for 1 year without loss of activity.

#### **Clinical Applications**

For GMP product equivalents, please contact the NB Product Manager Team. They will find the best suitable product option for your specific application.

#### **Ordering Information**

Enzyme	Cat. No.	Pack size
Collagenase NB 4G Proved Grade	S1746501	500 mg
Collagenase NB 4G Proved Grade	S1746502	1 g
Collagenase NB 4G Proved Grade	S1746503	5 g

# **Isolation of Human Epithelial Cells** from Thyroid Gland

Nordmark amsbio

Recommended Starting Conditions	
Concentration of Collagenase NB 4G Proved Grade	0.25 – 0.3 PZ U/ml*
Isolation conditions	Room temperature

\*PZ units acc. to Wünsch

In partnership with

iochemicals

In general the required collagenase concentration depends on tissue type and origin as well as isolation procedure. Therefore, Collagenase NB concentrations stated above should be considered as starting points and progress of the digestion process should be monitored visually in order to determine the optimal conditions.

The digestion process can be stopped by adding EDTA, cooling down or diluting the digestion solution.

It is recommended to measure the concentration of the collagenase solution in PZ U/ml and not in mg/ml.

This ensures optimal reproducibility of isolations with collagenases from different lots, although Nordmark guarantees a high lot-to-lot consistency.

#### Collagenase NB products

- > High cell yields and viability
- > Reliable lot-to-lot consistency
- > GMP grades available

UK & Rest of the World 184 Park Drive, Milton Park Abingdon OX14 4SE, U.K. T: +44 (0) 1235 828 200 F: +44 (0) 1235 820 482

#### AMSBIO| www.amsbio.com | info@amsbio.com

North America

1035 Cambridge Street,

Cambridge, MA 02141.

T: +1 (617) 945-5033 or

T: +1 (800) 987-0985

F: +1 (617) 945-8218

Germany

Bockenheimer Landstr. 17/19 60325 Frankfurt/Main T: +49 (0) 69 779099 F: +49 (0) 69 13376880

Switzerland Via Lisano 3 (CP.683) . 6900 Massagno T: +41 (0) 91 604 55 22 F: +41 (0) 91 605 17 85

AMS Biotechnology (Europe) Limited registered in England & Wales number 02117791