

CAOV3 FFPE Cell Pellet

Product Data Sheet

GENERAL INFORMATION

Product Name: CAOV3 FFPE Cell Pellet
Reference Number: 3090-0410 Block

3090-0420 Slide (5μm) 3090-0430 FFPE scroll (20μm)

Date of Manufacturing: See product label
Lot Number: See product label
Intended Use: For research use only

DESCRIPTION

Cell Line: CAOV3
Tissue of Origin: Ovary

Culturing Condition: DMEM supplemented with 10% FBS at 37°C with 5%

 CO_2

Fixation Condition: 10% neutral buffered formalin (NBF) for 24 hours at

24-27°C

Product Format:

Block: Paraffin embedded block. Pellet thickness: ~2mm

Slide: One unstained section mounted on Superfrost™ Plus

slide. Section thickness: 5µm

FFPE Scroll: One FFPE section in DNase/RNase free tube. Section

thickness: 20µm

SCHEMATICS




Illustration of an FFPE slide

STORAGE CONDITION

2-8°C with desiccation (Recommended)

*STABILITY

Block 3 years
Scroll 1 year
Slide 1 year

*Guideline for general applications, such as immunohistochemistry (IHC) or DNA in situ hybridization (ISH). Certain biomolecules may be less stableduring storage.

RECOMMENDED PROCEDURES

Staining using FFPE slides:

- 1. Bake slides at 60°C for 30-60 min.
- 2. Deparaffinize two times in Xylene or Xylene substitute for 5 min each time.
- 3. Rinse two times in 100% ethanol for 1 min each time.
- 4. Air dry slides or rehydrate in ethanol series (95% 2 min, 70% 2 min, 50% 2 min, 1XPBS 2 min).
- 5. Proceed to staining protocol.

Biomolecule extraction from FFPE scrolls:

- Add 1ml Xylene or Xylene substitute to each tube containing FFPE scrolls and vortex for 10 sec.
- 2. Centrifuge at full speed for 2 min at room temperature. Remove supernatant without disturbing the pellet.
- 3. Repeat step 1 and 2.
- 4. Add 1ml 100% ethanol and mix by vortexing.
- 5. Centrifuge at full speed for 2 min at room temperature. Remove supernatant without disturbing the pellet.
- 6. Repeat step 4 and 5.
- Carefully remove any residual ethanol in the tube without disturbing the pellet.
- 8. Open the tube and dry at room temperature or up to 37°C for 10min, or until the ethanol has completely evaporated.
- 9. Proceed to extraction protocol.

SAFETY AND PRECAUTIONS

This product does not contain hazardous material. Wear appropriate personal productive equipment (PPE) when handling reagents and biological specimens.





AMSBIO | www.amsbio.com | info@amsbio.com